

State In Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

DESICATE_{TM} II FOR USE ON ALFALFA

EPA Registration No. 4581-381

EPA SLN No. ID-980013

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

For use on seed crops only- seed from treated fields should be used for planting purposes only. Do not use seed for food, feed or oil purposes.

Heavy stand: use ¾ to 1¼ quarts of Desicate II in a minimum of 10 gallons of water per acre and repeat application in 3 to 5 days; or use 2 quarts of Desicate II in a minimum of 10 gallons of water per acre in one application.

For ground application: use the same rates of Desicate II per acre, but increase the water to make a total spray of 10-20 gallons per acre.

NOTE: Seed crops should not be sprayed until the seed is mature and the plants have lost moisture normally following the end of the irrigation season. Spraying before the seed has reached maximum dry weight may result in yield reduction. Seed crops are normally ready for combining 5 to 10 days after treatment. For best results combine the seed crop as soon as it is ready for harvest.

The addition of ammonium sulfate at 5 lbs/acre with spray additives, such as silicone based adjuvants, will increase performance of this product. Ensure that the ammonium sulfate is completely dissolved in the spray tank before adding DESICATE II. Always test for compatibility, using a jar test, prior to mixing in the spray tank.

KEEP OUT OF REACH OF CHILDREN **DANGER**

For Statement of Practical Treatment and other Precautionary Statements, see label attached to container.

All applicable directions, restrictions and other precautions on the EPA-registered label are to be followed.

NOTE: This label must be in the possession of the user at the time of pesticide application.